



Hummel Croton Inc.  
10 Harmich Rd.  
South Plainfield, NJ 07080  
www.HummelCroton.com  
Phone: 908-754-1800  
Fax: 908-754-1815

In Case Of Emergency Call  
(U.S.) 800-424-9300  
(International) +1-813-248-3924

## Red Lead Safety Data Sheet

### 1. Product and Company

Product name: Lead Tetraoxide

Synonym: Lead Orthoplumbate, Lead Oxide, Lead Oxide Red, Red Lead, Red Lead Oxide, Trilead Tetraoxide

CAS-No.: 1314-41-6

Company: Hummel Croton Inc.  
10 Harmich Rd.  
South Plainfield, NJ 07080

Telephone: 908-754-1800  
Fax: 908-754-1815

Emergency telephone number

Emergency Phone #: Chemtrec US: 800-424-9300  
ChemTel International: +1-813-248-0585

HMIS Rating	
Health	2
Flammability	1
Reactivity	0
Personal Protection	E

### 2. Hazards

#### GHS Classification

Oxidizing solids (Category 2), H272  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 4), H332  
Carcinogenicity (Category 2), H351  
Reproductive toxicity (Category 1A), H360  
Specific target organ toxicity - repeated exposure (Category 1), H372  
Acute aquatic toxicity (Category 1), H400  
Chronic aquatic toxicity (Category 1), H410

## GHS Label elements

Pictogram(s)



Signal word **DANGER**

Hazard statement(s)

- H272 May intensify fire; oxidizer.
- H302 + H332 Harmful if swallowed or if inhaled
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat.
- P220 Keep/Store away from clothing/ combustible materials.
- P221 Take any precaution to avoid mixing with combustibles.
- P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
- P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
- P391 Collect spillage.
- P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

None.

### 3. Composition/Ingredients

Substance  
Formula:  $\text{Pb}_3\text{O}_4$   
Molecular weight: 685.60 g/mol  
CAS-No.: 1314-41-6

Material	CAS	%	OSHA	ACGIH
Lead Tetraoxide	1314-41-6	100%	0.05 mg/m <sup>3</sup> as Lead	0.15 mg/m <sup>3</sup> as Lead

### 4. First Aid

**First Aid For Eye:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

**First Aid For Skin:** In case of contact, flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

**First Aid For Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**First Aid For Ingestion:** If swallowed, call a physician immediately.

### 5. Fire Data

Flammability: Non-Flammable

Flash Point: Not Applicable

Auto Ignition: Not Applicable

Flammable Limits: Not Applicable

Extinguishing Media: This material is not combustible and is not anticipated to react with commercially employed extinguishing media. Use appropriate extinguishing media for surrounding fire.

Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Contain all run-off.

Fire/Explosion Hazards: Incompatible with strong oxidizers, hydrogen peroxide and active metals such as sodium and potassium. This product, when heated to decomposition temperature, may emit toxic fumes of lead.

### 6. Accidental Release

Spill Or Leak Procedures: Utilize recommended protective clothing and equipment. Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water. Collect wash water for approved disposal. Keep from entering water or ground water.

### 7. Handling And Storage

Storage Temperatures: Store at ambient temperature

Shelf Life: Unlimited in tightly sealed container

Special Sensitivity: None.

Handling/Storage Precautions: Avoid breathing dust. Avoid getting in eyes or on skin. Wash thoroughly after handling. Store in a dry place away from direct sunlight, heat and incompatible materials. Reseal containers immediately after use. Store away from food and beverages.

## 8. Exposure Controls/Personal Protection

Eye Protection: Safety glasses or goggles.

Skin Protection: PVC gloves with impervious boots, apron or coveralls. Wash hands and face before eating, drinking or using tobacco.

Respirator: Work ambient concentrations should be monitored and if the recommended exposure limit is exceeded, a NIOSH/MSHA approved dust respirator must be worn.

Ventilation: Use local ventilation if dusting is a problem, to maintain air levels below the recommended exposure limit.

Additional Measures: Emergency showers and eye wash stations should be available. Educate and train employees in the safe handling of hazardous chemicals.

## 9. Physical And Chemical Properties

Physical Form: Powder

Color: Bright Orange

Odor: Odorless

Molecular Weight: 685.6 g/mol

Boiling Point: N/A

Melting/Freezing Point: Decomposes at 500°C

Solubility In Water: Insoluble

Specific Gravity: 8.8-9.45

## 10. Stability And Reactivity

Stability: Stable.

Hazardous Polymerization: Will not occur.

Incompatibilities: Reacts violently with hydrogen peroxide and other strong oxidizers to liberate hydrogen gas. Do not heat in the presence of aluminum, sodium metal or potassium metal.

Instable Conditions: Excessive temperatures (see incompatibilities).

Decomposition Temperature: Decomposes at 500°C

Decomposition Products: Oxides of lead.

## 11. Toxicological Information

RTECS Number: OG5425000

Routes of Exposure: Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data: IPR-RAT LD50: 630 mg/kg IPR-GPG LD50: 220 mg/kg

Acute Health Effects: Irritating to the skin and eyes on contact. Inhalation will cause irritation to the lungs and mucus membrane. Irritation to the eyes will cause watering and redness.

Reddening, scaling, and itching are characteristics of skin inflammation. Follow safe industrial hygiene practices and always wear protective equipment when handling this compound.

Chronic Health Effects: Lead is a cumulative poison. Increasing amounts can build up in the body and may reach a point where symptoms and disability may occur. These may include anemia,

pale skin, a blue line at the gum margin, decreased handgrip strength, abdominal pain, severe constipation, nausea, vomiting, and paralysis of the wrist joint. Prolong exposure may result in kidney damage. If the nervous system is affected, usually due to very high exposures, the resulting effects include severe headaches, convulsions, coma, delirium and death. Continuous exposure may result in decreased fertility. Elevated lead exposure of either parent before pregnancy may increase chances of miscarriage or birth defects. Exposure of the mother during pregnancy may cause birth defects.

Acute Health Effects: This product is listed by EPA (EPA-B2 Sufficient evidence from animal studies; inadequate evidence or no data from epidemiological studies.) and IARC (IARC-2B possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals) as a suspected carcinogen.

## **12. Ecological Information**

Ecotoxicity: Not available at this time.

## **13. Disposal Considerations**

Waste Disposal Method: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

## **14. Transportation Information**

Proper Shipping Name: Environmentally Hazardous Substance, N.O.S. (Red Lead)

UN Number: 3077

Class: 9

P.G.: III

Label Code: 9

Reportable Quantity: 1 (0.454)

## **15. Regulatory Information**

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Chemical Inventory: This compound is on the EPA Toxic Substance Control Act (TSCA) Inventory List

California Proposition 65: To the best of our knowledge, this product contains no levels of listed substances, which the State of California has found to cause cancer, birth defects or other reproductive effects.

SARA 313 Title III:

Section 320 Extremely Hazardous Substances: None

Section 311/312 Hazardous Categories: None

Section 313 Toxic Chemicals: This product may be subject to reporting: Lead compounds 90.7% Lead.

## **16. Other Information**

Prepared By: Michael Richard

Date: March 21, 2018

Reason For Issue: Emergency Contact Update

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Hummel Croton shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any items of this notice.