



Hummel Croton Inc.  
10 Harmich Rd.  
South Plainfield, NJ 07080  
www.HummelCroton.com  
Phone: 908-754-1800  
Fax: 908-754-1815

In Case Of Emergency Call ChemTel  
(U.S.) (800) 255-3924  
(International) +1 (813) 248-0585

## Aluminum Powder Uncoated Safety Data Sheet

### 1. Product and Company

Product name: Aluminum

Synonym: Aluminum Powder, Uncoated

CAS-No.: 7429-90-5

Company: Hummel Croton Inc.  
10 Harmich Rd.  
South Plainfield, NJ 07080

Telephone: 908-754-1800  
Fax: 908-754-1815

| HMIS Rating         |   |
|---------------------|---|
| Health              | 0 |
| Flammability        | 3 |
| Reactivity          | 1 |
| Personal Protection | E |

Emergency telephone number

Emergency Phone #: ChemTel US: 1-800-255-3924  
ChemTel International: +1-813-248-0585

### 2. Hazards

#### GHS Label elements

GHS Classification: Pyrophoric solids (Category 1), H250

Pictogram(s)



Signal word **DANGER**

Hazard statement(s)

H250 Catches fire spontaneously if exposed to air.

H261 In contact with water releases flammable gases.

Precautionary statement(s)

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P222 Do not allow contact with air.
- P223 Do not allow contact with water
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P334-5 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages
- P370-8 Use for extinction: Dry sand or alcohol-resistant foam.
- P402-4 Store in a dry place. Store in a closed container.

**Hazards not otherwise classified (HNOC) or not covered by GHS**

Combustible dust.

**3. Composition/Ingredients**

**Substance**

Formula: Al  
Molecular weight: 26.98 g/mol  
CAS-No.: 7429-90-5

| Material | CAS       | %       | OSHA                     | ACGIH                    |
|----------|-----------|---------|--------------------------|--------------------------|
| Aluminum | 7429-90-5 | 98-100% | 15 mg(Al)/m <sup>3</sup> | 15 mg(Al)/m <sup>3</sup> |

**4. First Aid**

**First Aid For Eye:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

**First Aid For Skin:** In case of contact, flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

**First Aid For Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**First Aid For Ingestion:** If swallowed, call a physician immediately.

**5. Fire Data**

Flammability: Flammable

Flash Point: Not Applicable

Auto Ignition: Not determined

Flammable Limits: LEL%: 0.04 oz/ft<sup>3</sup> UEL%: N/A

Extinguishing Media: Dry chemical powder. Dry sand. DO NOT USE WATER.

Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Fire/Explosion Hazards: Emits toxic fumes under fire conditions. Do not expose to air and fire. This material, like most materials in powder form, is capable of creating a dust explosion. DO NOT DISTURB METAL WHILE EXTINGUISHING FIRE.

## 6. Accidental Release

Spill Or Leak Procedures: Utilize recommended protective clothing and equipment. Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water. Collect wash water for approved disposal. Keep from entering water or ground water.

## 7. Handling And Storage

Storage Temperatures: Store at ambient temperature.

Shelf Life: Unlimited in tightly sealed container

Special Sensitivity: None

Handling/Storage Precautions: Avoid breathing dust. Avoid getting in eyes or on skin. Wash

## 8. Exposure Controls/Personal Protection

Eye Protection: Safety glasses or goggles.

Skin Protection: PVC gloves with impervious boots, apron or coveralls. Wash hands and face before eating, drinking or using tobacco.

Respirator: Work ambient concentrations should be monitored and if the recommended exposure limit is exceeded, a NIOSH/MSHA approved dust respirator must be worn.

Ventilation: Use local ventilation if dusting is a problem, to maintain air levels below the recommended exposure limit.

Additional Measures: Emergency showers and eye wash stations should be available. Educate and train employees in the safe handling of hazardous chemicals.

## 9. Physical And Chemical Properties

Physical Form: Powder or Flitter

Color: Silver

Odor: Odorless

Molecular Weight: 26.98

Boiling Point: 2630°C

Melting/Freezing Point: 660°C

Solubility In Water: Insoluble

Specific Gravity: 2.6

## 10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur.

Incompatibilities: Acids, acid chlorides, alkalines, oxidizing agents, halogens, air sensitive, moisture sensitive.

Instable Conditions: Excessive temperatures (see incompatibilities).

Decomposition Temperature: Not established.

Decomposition Products: Toxic fumes of aluminum oxide. Could react with water, acids and alkalis to form combustible hydrogen gas.

## 11. Toxicological Information

RTECS Number: BD0330000

Routes Of Exposure: Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data: LD50: Not established.

Chronic Toxic Effects: Not known to cause any long term harmful health effects.

Acute Toxic Effects: Mild irritant to skin, eyes, and respiratory system.

## 12. Ecological Information

Ecotoxicity: This product may cause adverse environmental effects. Employ management practices which prevent material from contacting stormwater, entering waterway, or otherwise impacting plant and animal species.

## 13. Disposal Considerations

Waste Disposal Method: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

## 14. Transportation Information

Proper Shipping Name: Aluminum

UN Number: 1396

Class: 4.3

P.G.: II

Label Code: 4.3

## 15. Regulatory Information

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Chemical Inventory: This compound is on the EPA Toxic Substance Control Act (TSCA) Inventory List

California Proposition 65: To the best of our knowledge, this product contains no levels of listed substances which the state of California has found to cause cancer, birth defects, or other reproductive effects.

SARA 313 Title III:

Section 320 Extremely Hazardous Substances: None

Section 311/312 Hazardous Categories: None

Section 313 Toxic Chemicals: This product may be subject to reporting requirement.

(Contains 100% Al)

## 16. Other Information

Prepared By: Michael Richard

Date: March 20, 2018

Reason For Issue: Emergency Contact Update

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Hummel Croton shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or

suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any items of this notice.