



Hummel Croton Inc.  
10 Harmich Rd.  
South Plainfield, NJ 07080  
www.HummelCroton.com  
Phone: 908-754-1800  
Fax: 908-754-1815

In Case Of Emergency Call  
(U.S.) (800) 424-9300  
(International) +1 (813) 248-0585

## Barium Chromate Safety Data Sheet

### 1. Product and Company

Product name: Barium Chromate

Synonym: Baryta Yellow, Lemon Yellow,  
Ultramarine Yellow

CAS-No.: 10294-40-3

Company: Hummel Croton Inc.  
10 Harmich Rd.  
South Plainfield, NJ 07080

Telephone: 908-754-1800  
Fax: 908-754-1815

HMIS Rating	
Health	2
Flammability	0
Reactivity	2
Personal Protection	E

Emergency telephone number

Emergency Phone #: Chemtrec US: 1-800-424-9300  
ChemTel International: +1-813-248-0585

### 2. Hazards

GHS Classification Oxidizing solids (Category 2), H272  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 4), H332  
Carcinogenicity (Category 1A), H350

#### GHS Label elements

Pictogram(s)



Signal word **DANGER**

Hazard statement(s)

- H272 May intensify fire, oxidizer.
- H301 Toxic if swallowed.
- H350 May cause cancer.
- H332 Harmful if inhaled.
- H317 May cause an allergic skin reaction.

Precautionary statement(s)

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat.
- P220 Keep/store away from clothing/combustible materials.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
- P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
- P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

None.

**3. Composition/Ingredients**

Substance  
Formula: BaCrO<sub>4</sub>  
Molecular weight: 255.36 g/mol  
CAS-No.: 10294-40-3

Material	CAS	%	OSHA	ACGIH
Barium Chromate	10294-40-3	100%	0.5 mg/m <sup>3</sup> as Ba & as Chromium III	0.5 mg/m <sup>3</sup> as Ba& as Chromium III

**4. First Aid**

**First Aid For Eye:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

**First Aid For Skin:** In case of contact, flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

**First Aid For Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**First Aid For Ingestion:** If swallowed, call a physician immediately.

## 5. Fire Data

Flammability: Non-Flammable

Flash Point: Not Applicable

Auto Ignition: Not Applicable

Flammable Limits: Not Applicable

Extinguishing Media: Water, dry chemical, carbon dioxide.

Fire Fighting Procedure: Wear self-contained breathing apparatus. If possible, move containers away from fire and keep containers cool by means of a water spray.

Fire/Explosion Hazards: Emits toxic fumes under fire conditions.

## 6. Accidental Release

Spill Or Leak Procedures: Utilize recommended protective clothing and equipment. Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water. Collect wash water for approved disposal. Keep from entering water or ground water.

## 7. Handling And Storage

Storage Temperatures: Store at ambient temperature

Shelf Life: Unlimited in tightly sealed container

Special Sensitivity: None.

Handling/Storage Precautions: Avoid breathing dust. Avoid getting in eyes or on skin. Wash thoroughly after handling. Store in a dry place away from direct sunlight, heat and incompatible materials. Reseal containers immediately after use. Store away from food and beverages.

## 8. Exposure Controls/Personal Protection

Eye Protection: Safety glasses or goggles.

Skin Protection: PVC gloves with impervious boots, apron or coveralls. Wash hands and face before eating, drinking or using tobacco.

Respirator: Work ambient concentrations should be monitored and if the recommended exposure limit is exceeded, a NIOSH/MSHA approved dust respirator must be worn.

Ventilation: Use local ventilation if dusting is a problem, to maintain air levels below the recommended exposure limit.

Additional Measures: Emergency showers and eye wash stations should be available. Educate and train employees in the safe handling of hazardous chemicals.

## 9. Physical And Chemical Properties

Physical Form: Fine Powder

Color: Yellow

Odor: Odorless

Molecular Weight: 255.36  
Boiling Point: Not Applicable  
Melting/Freezing Point: 210°C (415°F)  
Solubility In Water: Insoluble  
Specific Gravity: 4.5

## 10. Stability And Reactivity

Stability: Stable.  
Hazardous Polymerization: Will not occur.  
Incompatibilities: Reducing agents.  
Instable Conditions: Excessive temperatures (see incompatibilities).  
Decomposition Temperature: Not established  
Decomposition Products: Oxides of chromium.

## 11. Toxicological Information

RTECS Number: CQ8760000  
Routes Of Exposure: Eye contact. Ingestion. Inhalation. Skin contact.  
Toxicity Data: LD50 Oral-Rat 3,000 mg/kg  
Chronic Toxic Effects: This product has no known chronic effects. Repeated or prolonged exposure to this chemical is not known to aggravate medical conditions.  
Acute Toxic Effects: Irritating to the skin and eyes on contact. Inhalation will cause irritation to the lungs and mucus membranes. Irritation to the eyes will cause watering and redness. Reddening, scaling and itching are characteristics of skin inflammation. Follow safe industrial hygiene practices and always wear protective equipment when handling this compound.

## 12. Ecological Information

Ecotoxicity: Not available at this time.

## 13. Disposal Considerations

Waste Disposal Method: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

## 14. Transportation Information

Proper Shipping Name: Barium Compounds, N.O.S. (Barium Chromate)  
UN Number: 1564  
Class: 6.1  
P.G.: III  
Label Code: 6.1

## 15. Regulatory Information

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Chemical Inventory: This compound is on the EPA Toxic Substance Control Act (TSCA) Inventory List

California Proposition 65:

WARNING! This product contains a chemical known to the State of California to cause cancer.

WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

SARA 313 Title III:

Section 320 Extremely Hazardous Substances: None

Section 311/312 Hazardous Categories: None

Section 313 Toxic Chemicals: This product may be subject to reporting. (Barium content 54.21% & Chromium 20.53%)

## 16. Other Information

Prepared By: Michael Richard

Date: March 20, 2018

Reason For Issue: Emergency Contact Update

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Hummel Croton shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any items of this notice.