



Hummel Croton Inc.
10 Harmich Rd.
South Plainfield, NJ 07080
www.HummelCroton.com
Phone: 908-754-1800
Fax: 908-754-1815

In Case Of Emergency Call Chemtrec®
(U.S.) (800) 424-9300
(International) (703) 527-3887

Calcium Resinate Safety Data Sheet

1. Product and Company

Product name: Calcium Resinate
Synonym: None
CAS-No.: 9007-13-0
Company: Hummel Croton Inc.
10 Harmich Rd.
South Plainfield, NJ 07080
Telephone: 908-754-1800
Fax: 908-754-1815

HMIS Rating	
Health	1
Flammability	3
Reactivity	1
Personal Protection	E

Emergency telephone number

Emergency Phone #: Chemtrec US: 800-424-9300
Chemtrec International: 703-527-3887

2. Hazards

GHS Classification Flammable solids (Category 2), H228
Skin irritation (Category 2), H315

GHS Label elements

Pictogram(s)



Signal word **WARNING**

Hazard statement(s)

H228 Flammable solid.
H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

Precautionary statement(s)

- P210 Keep away from heat/sparks/open flames/hot surfaces. –No smoking.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/ attention.

Hazards not otherwise classified (HNOC) or not covered by GHS

None

3. Composition/Ingredients

Substance

Formula: Variable
 Molecular weight: Variable
 CAS-No.: 9007-13-0

Material	CAS	%	OSHA	ACGIH
Calcium Resinate	9007-13-0	100%	Not Established	Not Established

4. First Aid

First Aid For Eye: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

First Aid For Skin: In case of contact, flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

First Aid For Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

First Aid For Ingestion: If swallowed, call a physician immediately.

5. Fire Data

Flammability: Non-Flammable

Flash Point: Not Applicable

Auto Ignition: Not Applicable

Flammable Limits: Not Applicable

Extinguishing Media: Water fog or mist, carbon dioxide, dry powder, or foam.

Fire Fighting Procedure: Avoid using water other than a fog or mist. Fire fighters need self-contained respiratory equipment for fires in enclosed areas.

Fire/Explosion Hazards: Resin dust is an explosive hazard in air. May form flammable dust –air mixture. Static charges generated by emptying packages in or near flammable vapors may cause a flash fire.

6. Accidental Release

Spill Or Leak Procedures: Utilize recommended protective clothing and equipment. Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water. Collect wash water for approved disposal. Keep from entering water or ground water.

7. Handling And Storage

Storage Temperatures: Store at ambient temperature.

Shelf Life: Unlimited in tightly sealed container

Special Sensitivity: None

Handling/Storage Precautions: Avoid breathing dust. Avoid getting in eyes or on skin. Wash thoroughly after handling. Store in a dry place away from direct sunlight, heat and incompatible materials. Reseal containers immediately after use. Store away from food or beverages.

8. Exposure Controls/Personal Protection

Eye Protection: Safety glasses or goggles.

Skin Protection: PVC gloves with impervious boots, apron or coveralls. Wash hands and face before eating, drinking or using tobacco.

Respirator: Work ambient concentrations should be monitored and if the recommended exposure limit is exceeded, a NIOSH/MSHA approved dust respirator must be worn.

Ventilation: Use local ventilation if dusting is a problem, to maintain air levels below the recommended exposure limit.

Additional Measures: Emergency showers and eye wash stations should be available. Educate and train employees in the safe handling of hazardous chemicals.

9. Physical And Chemical Properties

Physical Form: Fine powder

Color: Tan to white

Odor: Mild pine odor

Molecular Weight: Variable

Boiling Point: Above 260°C

Melting/Freezing Point: Above 175°C

Solubility In Water: Insoluble

Specific Gravity: Not established

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur.

Incompatibilities: Avoid mixing with strong oxidants.

Instable Conditions: Excessive temperatures (see incompatibilities).

Decomposition Temperature: Not established.

Decomposition Products: Carbon monoxide, carbon dioxide, oxides of calcium.

11. Toxicological Information

RTECS Number: EW3970000

Routes Of Exposure: Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data: To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

Chronic Toxic Effects: Not known to cause any long term harmful health effects.

Acute Toxic Effects: Irritating to the skin and eyes on contact. Inhalation will cause irritation to the lungs and mucus membrane. Irritation to the eyes will cause watering and redness.

Reddening, scaling, and itching are characteristics of skin inflammation. Follow safe industrial hygiene practices and always wear protective equipment when handling this compound

12. Ecological Information

Ecotoxicity: Not available at this time.

13. Disposal Considerations

Waste Disposal Method: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

14. Transportation Information

Proper Shipping Name: Calcium Resinate

UN Number: 1313

Class: 4.1

P.G.: III

Label Code: 4.1

15. Regulatory Information

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Chemical Inventory: This compound is on the EPA Toxic Substance Control Act (TSCA) Inventory List

California Proposition 65: To the best of our knowledge, this product contains no levels of listed substances which the state of California has found to cause cancer, birth defects, or other reproductive effects.

SARA 313 Title III:

Section 320 Extremely Hazardous Substances: None

Section 311/312 Hazardous Categories: None

Section 313 Toxic Chemicals: None

16. Other Information

Prepared By: Michael Richard

Date: June 3, 2015

Reason For Issue: GHS Compliance

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Hummel Croton shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any items of this notice.