

Hummel Croton Inc. 10 Harmich Rd. South Plainfield, NJ 07080 www.HummelCroton.com Phone: 908-754-1800

Fax: 908-754-1815

In Case Of Emergency Call (U.S.) 800-424-9300 (International) +1-813-248-3924

**HMIS Rating** 

Flammabilitiy

**Personal Protection** 

Reactivity

0

Ε

Health

# Manganese Dioxide Safety Data Sheet

# 1. Product and Company

Product name: Manganese Dioxide

Synonym: Manganese Peroxide, Manganese

Superoxide, Manganese (IV) Oxide

CAS-No.: 1313-13-9

Company: Hummel Croton Inc.

10 Harmich Rd.

South Plainfield, NJ 07080

Telephone: 908-754-1800 Fax: 908-754-1815

Emergency telephone number

Emergency Phone #: Chemtrec US: 800-424-9300

ChemTel International: +1-813-248-0585

#### 2. Hazards

#### **GHS Label Elements**

GHS Classification: Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Pictogram(s)



Signal word WARNING

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

# Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

None.

# 3. Composition/Ingredients

Substance

Formula: MnO<sub>2</sub>
Molecular weight: 86.94 g/mol
CAS-No.: 1313-13-9

Material	CAS	%	OSHA	ACGIH
Manganese Dioxide	1313-13-9	100%	5 mg/m <sup>3</sup> as	0.2 mg/m <sup>3</sup> as
			Manganese	Manganese

#### 4. First Aid

**First Aid For Eye:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

**First Aid For Skin:** In case of contact, flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

First Aid For Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Call a physician. **First Aid For Ingestion:** If swallowed, call a physician immediately.

#### 5. Fire Data

Flammability: Non-Flammable Flash Point: Not Applicable Auto Ignition: Not Applicable Flammable Limits: Not Applicable

Extinguishing Media: Water spray, carbon dioxide or dry chemical.

Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to

prevent contact with skin and eyes. Oxidizer

Fire/Explosion Hazards: Emits toxic fumes under fire conditions. Contact with other material may cause fire.

#### 6. Accidental Release

Spill Or Leak Procedures: Utilize recommended protective clothing and equipment. Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water. Collect wash water for approved disposal. Keep from entering water or ground water.

# 7. Handling And Storage

Storage Temperatures: Store at ambient temperature Shelf Life: Unlimited in tightly sealed container

Special Sensitivity: None.

Handling/Storage Precautions: Avoid breathing dust. Avoid getting in eyes or on skin. Wash thoroughly after handling. Store in a dry place away from direct sunlight, heat and incompatible materials. Reseal containers immediately after use. Store away from food and beverages.

### 8. Exposure Controls/Personal Protection

Eye Protection: Safety glasses or goggles.

Skin Protection: PVC gloves with impervious boots, apron or coveralls. Wash hands and face

before eating, drinking or using tobacco.

Respirator: Work ambient concentrations should be monitored and if the recommended exposure limit is exceeded, a NIOSH/MSHA approved dust respirator must be worn. Ventilation: Use local ventilation if dusting is a problem, to maintain air levels below the

recommended exposure limit.

Additional Measures: Emergency showers and eye wash stations should be available. Educate and train employees in the safe handling of hazardous chemicals.

### 9. Physical And Chemical Properties

Physical Form: Powder or Granular

Color: Black to Silver Odor: Odorless

Molecular Weight: 86.94 g/mol Boiling Point: Not Established Melting/Freezing Point: 535°C Solubility In Water: Insoluble

Specific Gravity: 5.0

### 10. Stability And Reactivity

Stability: Stable.

Hazardous Polymerization: Will not occur.

Incompatibilities: Strong acids, strong reducing agents, organic materials. Instable Conditions: Excessive temperatures (see incompatibilities).

Decomposition Temperature: Not established.

Decomposition Products: Unknown.

### 11. Toxicological Information

RTECS Number: OP0350000

Routes of Exposure: Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data: SCU-MUS LD50:422 mg/kg

Acute Health Effects: Irritating to the skin and eyes on contact. Inhalation will cause irritation to the lungs and mucus membrane. Irritation to the eyes will cause watering and redness. Reddening, scaling, and itching are characteristics of skin inflammation. Follow safe industrial hygiene practices and always wear protective equipment when handling this compound. Chronic Health Effects: Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds.

Acute Health Effects: This product is not listed by NTP, IARC or regulated as a Carcinogen by OSHA.

# 12. Ecological Information

Ecotoxicity: Not available at this time.

### 13. Disposal Considerations

Waste Disposal Method: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

# 14. Transportation Information

Proper Shipping Name: Manganese Dioxide

UN Number: N/A

Class: N/A P.G.: N/A

Label Code: N/A

#### 15. Regulatory Information

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Chemical Inventory: This compound is on the EPA Toxic Substance Control Act (TSCA) Inventory List

California Proposition 65: To the best of our knowledge, this product contains no levels of listed substances, which the State of California has found to cause cancer, birth defects or other reproductive effects.

SARA 313 Title III:

Section 320 Extremely Hazardous Substances: None Section 311/312 Hazardous Categories: None

Section 313 Toxic Chemicals: This product may be subject to reporting requirements – (Manganese compounds 63%)

#### 16. Other Information

Prepared By: Michael Richard

Date: March 21, 2018

Reason For Issue: Emergency Contact Update

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Hummel Croton shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any items of this notice.