



Hummel Croton Inc.
10 Harmich Rd.
South Plainfield, NJ 07080
www.HummelCroton.com
Phone: 908-754-1800
Fax: 908-754-1815

In Case Of Emergency Call Chemtrec®
(U.S.) (800) 424-9300
(International) (703) 527-3887

Oxalic Acid Safety Data Sheet

1. Product and Company

Product name: Oxalic Acid

Synonym: Ethanedioic Acid, Ethanedionic Acid

CAS-No.: 6153-56-6

Company: Hummel Croton Inc.
10 Harmich Rd.
South Plainfield, NJ 07080

Telephone: 908-754-1800
Fax: 908-754-1815

HMIS Rating	
Health	3
Flammability	0
Reactivity	0
Personal Protection	E

Emergency telephone number

Emergency Phone #: Chemtrec US: 800-424-9300
Chemtrec International: 703-527-3887

2. Hazards

GHS Classification Acute toxicity, Oral (Category 4), H302
Acute toxicity, Dermal (Category 4), H312
Serious eye damage (Category 1), H318

GHS Label elements

Pictogram(s)



Signal word **DANGER**

Hazard statement(s)

H302 + H312 Harmful if swallowed or in contact with skin
H318 Causes serious eye damage.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear eye protection/ face protection.
P280 Wear protective gloves/ protective clothing.
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

None.

3. Composition/Ingredients

Substance
Formula: $(\text{COOH})_2 \cdot 2\text{H}_2\text{O}$
Molecular weight: 126.05 g/mol
CAS-No.: 6153-56-6

Material	CAS	%	OSHA	ACGIH
Oxalic Acid	6153-56-6	100%	8 hr TWA – 1 mg/m ³	1 mg/m ³

4. First Aid

First Aid For Eye: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

First Aid For Skin: In case of contact, flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

First Aid For Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

First Aid For Ingestion: If swallowed, call a physician immediately.

5. Fire Data

Flammability: Non-Flammable

Flash Point: Not Applicable

Auto Ignition: Not Applicable

Flammable Limits: Not Applicable

Extinguishing Media: Carbon dioxide, dry chemical powder or appropriate foam.

Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Oxidizer.

Fire/Explosion Hazards: This material, like most materials in powder form, is capable of creating a dust explosion.

6. Accidental Release

Spill Or Leak Procedures: Utilize recommended protective clothing and equipment. Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water. Collect wash water for approved disposal. Keep from entering water or ground water.

7. Handling And Storage

Storage Temperatures: Store at ambient temperature

Shelf Life: Unlimited in tightly sealed container

Special Sensitivity: None.

Handling/Storage Precautions: Avoid breathing dust. Avoid getting in eyes or on skin. Wash thoroughly after handling. Store in a dry place away from direct sunlight, heat and incompatible materials. Reseal containers immediately after use. Store away from food and beverages.

8. Exposure Controls/Personal Protection

Eye Protection: Safety glasses or goggles.

Skin Protection: PVC gloves with impervious boots, apron or coveralls. Wash hands and face before eating, drinking or using tobacco.

Respirator: Work ambient concentrations should be monitored and if the recommended exposure limit is exceeded, a NIOSH/MSHA approved dust respirator must be worn.

Ventilation: Use local ventilation if dusting is a problem, to maintain air levels below the recommended exposure limit.

Additional Measures: Emergency showers and eye wash stations should be available. Educate and train employees in the safe handling of hazardous chemicals.

9. Physical And Chemical Properties

Physical Form: Crystals

Color: White

Odor: Odorless

Molecular Weight: 126.05 g/mol

Boiling Point: Gives water off and starts to sublime at 101°C

Melting/Freezing Point: Gives water off and stats to sublime at 101°C

Solubility In Water: 1 gram in 7 mL at ambient temperatures

Specific Gravity: Not established

10. Stability And Reactivity

Stability: Stable.

Hazardous Polymerization: Will not occur.

Incompatibilities: Bases, acid chlorides, alkali metals, corrodes steel, protect from moisture.
Avoid contact with metals.
Instable Conditions: Excessive temperatures (see incompatibilities).
Decomposition Temperature: Gives water off and starts to sublime at 101°C
Decomposition Products: Oxides of carbon.

11. Toxicological Information

RTECS Number: RO2450000

Routes of Exposure: Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data: Orl-Rat LD50: 7500 mg/kg Unr-Rat LD50: 1400 mg/kg Ipr-Mus LD50: 270 mg/kg

Chronic Toxic Effects: This product has no known chronic effects. Repeated or prolonged exposure to this compound is not known to aggravate medical conditions.

Acute Toxic Effects: Harmful if swallowed, inhaled, or absorbed through skin. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes and skin. Inhalation may be fatal as a result of spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, and shortness of breath, headache, nausea and vomiting.

12. Ecological Information

Ecotoxicity: Not available at this time.

13. Disposal Considerations

Waste Disposal Method: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

14. Transportation Information

Proper Shipping Name: Corrosive Solid Acidic, Organic, N.O.S. (Oxalic Acid)

UN Number: 3261

Class: 8

P.G.: III

Label Code: 8

15. Regulatory Information

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Chemical Inventory: This compound is on the EPA Toxic Substance Control Act (TSCA) Inventory List

California Proposition 65: To the best of our knowledge, this product contains no levels of listed substances, which the State of California has found to cause cancer, birth defects or other reproductive effects.

SARA 313 Title III:

Section 320 Extremely Hazardous Substances: None

Section 311/312 Hazardous Categories: None

Section 313 Toxic Chemicals: None

16. Other Information

Prepared By: Michael Richard

Date: June 1, 2015

Reason For Issue: GHS Compliance

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Hummel Croton shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any items of this notice.